

## Mini-review Paper

### The Fiddler Crab of the Sundarbans: A Call for Conservation

**Abstract:** The Sundarbans, renowned as the world's largest mangrove forest, serves as a haven for a diverse array of species. Among these inhabitants are the often-overlooked fiddler crabs (*Uca* sp.), small crustaceans that play a pivotal role in maintaining the delicate balance of the Sundarbans ecosystem. This short communication aims to shed light on the ecological significance of these seemingly insignificant creatures, emphasizing their crucial contributions to nutrient cycling and the overall health of the mangrove vegetation. Fiddler crabs, with their distinctive large claws, are integral to the nutrient cycling processes within the Sundarbans. Their burrowing activities enhance soil aeration and facilitate the breakdown of organic matter, enriching the soil with essential nutrients. These nutrients, in turn, support the growth and development of the mangrove trees, which form the backbone of this unique ecosystem. Despite their vital role, fiddler crabs face a multitude of threats, including human exploitation, environmental pollution, and the impacts of climate change. The Sundarbans, while renowned for its Bengal tiger population, often overlooks the conservation needs of smaller, less charismatic species like the fiddler crab. Current conservation efforts primarily focus on protecting the tiger, leaving these crucial ecosystem engineers vulnerable. To ensure the long-term sustainability of the Sundarbans, a more holistic conservation approach is urgently needed. This approach must encompass the protection of all species, regardless of their perceived importance. Legal frameworks should be strengthened to safeguard fiddler crab populations, and community engagement programs should be implemented to raise awareness about their ecological significance. Furthermore, increased scientific research is crucial to better understand the ecological role of fiddler crabs and develop effective conservation strategies. Fiddler crabs play a crucial ecological role in the Sundarbans ecosystem, highlighting their importance in maintaining environmental balance. By incorporating the conservation needs of these lesser-known species into broader conservation efforts, we can strive towards a more sustainable future for this unique and invaluable natural treasure.

**Keywords:** Sundarbans, fiddler crab, mangrove ecosystem, biodiversity conservation, ecological threats

## Introduction

The Sundarbans, the largest contiguous mangrove forest on Earth, is celebrated for its incredible biodiversity. Straddling the border between India and Bangladesh, this unique ecosystem is not only a UNESCO World Heritage site but also a critical natural habitat supporting an array of life forms, many of which are found nowhere else (UNESCO, 1997). While the Royal Bengal tiger remains the most iconic symbol of the Sundarbans, the myriad smaller creatures, such as the fiddler crab (*Uca* sp.), play equally vital roles in maintaining the ecological balance.

## Biodiversity Beyond the Iconic Tiger

To date, over 146 species of animals have been documented in the Sundarbans (Mukherjee, 2021), encompassing mammals, birds, reptiles, and an extraordinary variety of aquatic life (Chatterjee, 2019; Biswas, 2018). Its intricate network of tidal rivers and creeks harbours about 120 types of fish, dolphins, crocodiles, and the peculiar mudskippers. Adding to this richness are numerous species of crabs, of which the fiddler crab stands out for its ecological significance and vivid display of colours (Chatterjee, 2019; Ray, 2017; Ahmed, 2016; Apreshgi et al, 2016).

43 Among the approximately 40 types of crabs found in the Sundarbans, the fiddler crab is distinguished  
44 by its vibrant hues—ranging from striking reds to a mosaic of blues, yellows, purples and orange  
45 (Mangale and Kulkarni, 2013) (Figure 1).



Figure 1: The colourful biodiversity of the Fiddler Crabs from Sundarbans, India.

Upper panel from left side: a. *Austruca lactea*; b. *Austruca perplexa*; c. *Austruca variegata*

Middle panel from left side: a. *Uca rosea* (female); b. *Uca coarctata*; c. *Uca rosea* (male)

Lower Panel from left side: a. *Uca pugnax*; b. *Tubuca alcocki* (female); c. *Tubuca dussumieri* (Female)

46 These crabs are named for the male's characteristic oversized claw (Mangale and Kulkarni, 2013)  
47 (Figure 2), which is used in mating displays and territorial battles. The fiddler crab's behaviour is as  
48 fascinating as its appearance; it splits its life between shallow tidal zones and the forest's exposed  
49 mudflats, carving out burrows for shelter and reproduction (Figure 3) (So et al, 2023; Shih and Chan,  
50 2022; Patel, 2022; Lee, 2021; Tanaka, 2015).




Figure 2: The claw of a male red fiddler crab (*Uca rosea*) (a). The male has a prominent bulge arm known as Propodus that is totally absent in female one (b). Bar: 0.4 cm.

## Ecological Importance of the Fiddler Crab

Fiddler crabs are more than just colourful inhabitants of the mangrove; they are ecological engineers that significantly contribute to the health of the Sundarbans' ecosystem (Banerjee, 2019). By burrowing and turning over the soil, these crabs facilitate nutrient cycling and enhance soil aeration, promoting the growth of mangrove vegetation (Gupta, 2020). Their dietary preferences—carnivorous, herbivorous or omnivorous—help balance the food web, maintaining the dynamism of predator-prey relationships and nutrient flow (Singh, 2017; Gupta, 2020). Without their presence, the entire mangrove ecosystem could face disruptions that would impact a wide range of other species, including commercially important fish and crustaceans (Peer et al, 2019; Nath, 2018; Reinsel, 2004).




Figure 3: Habitat of fiddler crab. a. The burrow; b. Mud dwelling in natural habitat

## Threats to the Fiddler Crab

Despite their ecological importance, fiddler crabs are under increasing threat from human activity. Overharvesting for culinary purposes, use in traditional medicine, and even collection for ornamental purposes have led to a sharp decline in their population (Numbere, 2022; Kumar, 2021; Koga et al, 1995). These crabs are easy targets due to their relatively accessible habitats (Laskar, 2019). Furthermore, environmental degradation in the form of water pollution and natural disasters,

exacerbated by climate change, has further imperilled their existence (Katharoyan et al, 2024; Bagheri et al, 2022; Bose, 2021; Mokhtari et al, 2015).

The decline of fiddler crabs serves as a stark reminder that the Sundarbans' conservation cannot be limited to high-profile species like the Bengal tiger (Chowdhury, 2022). Every organism, no matter how small, plays a part in sustaining this delicate ecosystem (Pillai, 2021).

## The Way Forward: Conservation Beyond the Spotlight

The current conservation efforts in the Sundarbans, spearheaded by government initiatives, largely focus on protecting charismatic megafauna such as the tiger (Chowdhury, 2022). While these efforts are commendable, a more holistic approach is necessary. The plight of lesser-known but equally critical species, like the fiddler crab, needs immediate attention.

A multi-pronged conservation strategy should include:

1. **Enhanced Legal Protection:** Implementing protective measures that extend beyond larger animals to include smaller but ecologically significant species like the fiddler crab (Agarwal, 2020).
2. **Community Engagement:** Involving local communities in sustainable practices that limit the overharvesting of crabs and other wildlife (Das, 2019).
3. **Pollution Control Measures:** Strengthening policies to curb industrial waste and chemical runoff that pollute the water systems of the Sundarbans (Mishra, 2022).
4. **Scientific Research and Monitoring:** Encouraging research to better understand the population dynamics and ecological roles of smaller species, which can inform more effective conservation policies (Sarkar, 2018).

## Conclusion

The Sundarbans is an intricate ecosystem where each species, from the apex predator to the tiniest crustacean, is interconnected. While the focus on flagship species like the Bengal tiger has brought global attention and resources to this unique habitat, it is imperative to expand our conservation lens to include the less-publicized, yet equally crucial, inhabitants like the fiddler crab. Only by safeguarding the entire spectrum of biodiversity can we hope to preserve the Sundarbans for generations to come. The conservation of the fiddler crab and other unsung species must become an integral part of our environmental stewardship.

## References:

1. Agarwal, V., "Expanding Legal Protections for Sundarbans Wildlife," Environmental Law Reports, 2020.
2. Ahmed, M. S., "Crustaceans in Mangrove Forests," Zoological Records, 2016.
3. Apreshgi, K. P., Dhaneesh, K. V., Radhakrishnan, T., & Kumar, A. B. (2016). DNA barcoding of fiddler crabs *Uca annulipes* and *U. perplexa* (Arthropoda, Ocypodidae) from the southwest coast of India. Journal of the Marine Biological Association of India, 58(1), 101–104. <https://doi.org/10.6024/jmbai.2016.58.1.1865-13>
4. Bagheri, Z. M., Donohue, C. G., Partridge, J. C., & Hemmi, J. M. (2022). Behavioural and neural responses of crabs show evidence for selective attention in predator avoidance. Scientific Reports, 12(1). <https://doi.org/10.1038/s41598-022-14113-0>
5. Banerjee, P., "Ecosystem Engineers: The Fiddler Crab," Tropical Conservation Reports, 2019.
6. Biswas, D., "Flora and Fauna of the Sundarbans," Mangrove Research Quarterly, 2018.
7. Bose, R., "Climate Change and the Sundarbans," Global Warming and Ecosystems Journal, 2021.

8. Chatterjee, S., "Conservation in Mangrove Ecosystems," Environmental Studies Review, 2019,
- A., et al., "Role of Crabs in Mangrove Ecosystems," Coastal Biodiversity Journal, 2020.
9. Choudhury, L., "Government Initiatives for Tiger Conservation," Wildlife Policy Journal, 2022.
10. Das, S., "Community-Based Conservation Practices," Local Sustainability Journal, 2019.
11. Gupta, S., "Nutrient Cycling in Mangrove Ecosystems," Soil and Water Studies, 2020.
12. Katharoyan, C., Rajkaran, A., & Peer, N. (2024). Temporal shifts in key mangrove crab species linked to biotic and abiotic factors at a latitudinal range limit. Estuarine Coastal and Shelf Science, 109116. <https://doi.org/10.1016/j.ecss.2024.109116>
13. Koga, T., Goshima, S., Murai, M., & Poovachiranon, S. (1995). Predation and cannibalism by the male fiddler crab *Uca tetragonon*. Journal of Ethology, 13(2), 181–183. <https://doi.org/10.1007/bf02350110>
14. Kumar, A., "Threats to Sundarbans Wildlife," Environmental Threats Bulletin, 2021.
15. Laskar, B., "Overharvesting and Its Impact on Mangrove Fauna," Regional Environmental Reviews, 2019.
16. Lee, J. C., "The Unique Traits of Fiddler Crabs," Arthropod Insights, 2021.
17. Mangale, V. Y., Kulkarni, B. G., & Arts, P. (2013). Morphological Study of Fiddler Crabs in Mumbai Region. Advances in Bioresearch. [http://soeagra.com/abr/abrsept\\_2013/16.pdf](http://soeagra.com/abr/abrsept_2013/16.pdf)
18. Mishra, N., "Controlling Pollution in Coastal Regions," Journal of Environmental Policy, 2022.
19. Mokhtari, M., Ghaffar, M. A., Usup, G., & Cob, Z. C. (2015). Determination of key environmental factors responsible for distribution patterns of fiddler crabs in a tropical mangrove ecosystem. PLoS ONE, 10(1), e0117467. <https://doi.org/10.1371/journal.pone.0117467>
20. Mukherjee, A., "Biodiversity of the Sundarbans," Journal of Tropical Ecology, 2021.
21. Nath, D., "Commercial Fish and Crustaceans in the Sundarbans," Fisheries Management Quarterly, 2018.
22. Numbere, A. O. (2020). Impact of Human Disturbance on Fiddler Crab (<i>Uca tangeri</i>) Burrow Morphology, Distribution and Chemistry at Eagle Island, Niger Delta, Nigeria. Open Journal of Marine Science, 10(04), 191–202. <https://doi.org/10.4236/ojms.2020.104015>
23. Patel, R., "Diversity of Crabs in the Sundarbans," Coastal Ecosystem Studies, 2022.
24. Peer, N., Miranda, N. A., & Perissinotto, R. (2019). Impact of fiddler crab activity on microphytobenthic communities in a South African mangrove forest. Estuarine Coastal and Shelf Science, 227, 106332. <https://doi.org/10.1016/j.ecss.2019.106332>
25. Pillai, R., "Focus on Smaller Species in Conservation," Biodiversity Outreach Review, 2021.
26. Ray, H., "Aquatic Life of the Sundarbans," Marine Biology Perspectives, 2017.
27. Reinsel, K. (2004). Impact of fiddler crab foraging and tidal inundation on an intertidal sandflat: season-dependent effects in one tidal cycle. Journal of Experimental Marine Biology and Ecology, 313(1), 1–17. <https://doi.org/10.1016/j.jembe.2004.06.003>
28. Sarkar, P., "Monitoring the Sundarbans Ecosystem," Field Research Updates, 2018.
29. Shih, H., & Chan, B. K. K. (2022). Systematics and Biogeography of fiddler crabs -A special issue in zoological Studies. PubMed, 61, e64. <https://doi.org/10.6620/zs.2022.61-64>
30. Singh, T., "Predator-Prey Interactions in Coastal Ecosystems," Journal of Ecological Balance, 2017.
31. So, M. W. K., Vorsatz, L. D., Cannicci, S., & Not, C. (2023). The role of mangrove crabs, the key macrofaunal bioengineers, in microplastic production in tropical coastal forests. Regional Studies in Marine Science, 63, 103012. <https://doi.org/10.1016/j.rsma.2023.103012>
32. Tanaka, K., "Behavioral Patterns of Fiddler Crabs," Marine Life Studies, 2015.
33. UNESCO World Heritage Centre, "The Sundarbans," UNESCO.